Olura Products Catalog Comprehensive Broadcast Technology Solutions



www.plurainc.com



Plura Product Series



Page 3 TIMING SOLUTIONS	
Synchronization & Timing	Rubidium Series • TCC70XS • PTP • TC60
Time & Timecode Displays	UD Displays • TCD Displays • Multi-Time Display over Ethernet
Studio Production Timers	SPT · TCU · MTD-ID · ELC · MTDoE · Plura App
Time Code PCI Cards	PCIe Cards
Page 4	IP SOLUTIONS
SFP-H "Hybrid" Series	IP, Fiber & Coax connectivity - Screen Sizes 17" 21" 24" 32" 47" 55" 65" 84"
PBM-4K Series	UHD/4K with Screen Sizes 24" 32" 43" 55" 65"
Page 4 4K-UHD MONITORING SOLUTIONS	
LCM-4K Series	UHD/4k with Screen Sizes 49" and 84"
UNB-4K Series	Ultra-Narrow Bezel LED-backlit, S-IPS, LCD
HEVC 4K Decoder	HEVC input option with LCM-4K series
Page 5 3G MO	NITORING SOLUTIONS
PBM-3G Series	Powerful 3G Broadcast Monitor Series
PRM-3G Series	OLED - Reference Monitor Series
SFP-3G Series	Adaptable & Flexible Broadcast Monitor
LCM-3G Series	Powerful General Use 3G Broadcast Monitor
Page 6 VIEW FINDERS, SMALL / HIGH BRIGHTNESS MONITORS and more	
VF-PBM-307 & 209	7" & 9" LCD - On Camera View Finders
PBM-307DRK-3G / PBM-209DRK-3G	Quadruple - 4" Inputs Display - 3Gb/s-ready
PHB-3G Series	High Brightness 7" & 9" Outdoor Monitor Solutions
PHB-207 DRK-3G	Quadruple - 4" Inputs High Brightness Displays - 3Gb/s-ready
PHB-209 DRK-3G	Quadruple - 5" Inputs High Brightness Displays - 3Gb/s-ready
Calibration Solutions	Plura Intelligent Connection for Alignment & Calibration- (ICAC)
Page 7	ACCESSORIES
Sunvisors	7" 9" and 10" Visors
Wall Mount Kits	Small: 17" 19" 20" 21" & 24" - Large: 40" to 65" - 70" and above
Rack Mount Kits	7" 9" 10" 17" 20" 21" & 24"
Battery Mount Kits	Anton Bauer & V-Mount Battery Kits for 7" 8.4" 9" 10" 17" 19" 21"
Soft Carry Cases	Soft Carry Cases for 7" 9" 10" 17"
Hard Carry Cases	Hard Carry Cases for 7" 9" 10" 17" 19" 21" 24" 32" 40" & 46"

Synchronization & Timing solutions is a result of PLURA's vast experience with the newest timecode technology which is comprised of:

Synchronization & Timing

Rubidium Series · TCC70XS · PTP · TC60

- ▶ RUBIDIUM SERIES
- ► TCC70XS STAND ALONE INSERTER, GENERATOR, READER AND CONVERTER
- ▶ PTP SERIES IEEE-1588











GNS-10MHz (Multi-GPS Receiver)

Time & Timecode Displays

Easy to Use Flexible **User Friendly** LAN/WAN

(MTD) Multi-Time Display Solutions over Ethernet Up to Six Different Timers / Time Zones Simultaneously

Studio Production Time






UD Displays . TCD Displays









PLURA's displays are designed and engineered to perfection. They offer a wide selection of sizes, colors, input formats and mounting options. All displays have built-in quartz clocks

which enables continuous operation. PLURA offers three

TD SERIES - TCD DISPLAYS, SUPPORT LTC & VITC

STUDIO SERIES - CONVENTIONAL DISPLAYS. SUPPORT LTC, VITC, MTD, NTP & IRIG-B



Time & Timecode Displays

Mobile Timer App

PLURA's vast experience with the timecode technology contributes to our ongoing innovations and solution offerings in the broadcast industry. Studio production timer series is a comprehensive and intelligent MTDoE technology (Multi-Time Display over Ethernet) PLURA is proud to offer. MTDoE is an exclusive studio-timer solution was developed and designed by PLURA to deliver affordable, reliable and feature rich and comprises of the following options

- ► SPT STUDIO PRODUCTION TIMER
- ► TCU TIMER CONTROL UNIT
- ► MTD-ID MULTI TIME ID DISPLAY
- ELC ETHERNET LTC CONVERTER
- ► MTDOE MULTI-TIME DISLPLAY OVER ETHERNET

► PLURA TIMER APP

Studio Production Timers SPT · TCU · MTD-ID · ELC · MTDoE · Plura App

different display options:





SPTH1 - 19" 1RU (Rack Mount Version)

Time Code PCIe Cards





Timecode-PCI

PLURA's most reliable and affordable PCIe cards are being used by variety customers in many critical and important computer hardware software development solutions. Driver compatibility between analog, digital video and 3G video cards enables you to design a software which is interoperable with any PLURA PCle card. The PCle cards available in several flavors such as:

- ▶ PCL-PCIE- PCI EXPRESS CARD READER
- PCL-PCIETS PCI EXPRESS REAL TIME SYNCHRONIZATION



SFP-324-H

SFP-H "HYBRID"

The New FUTURE PROOF SFP-H, Hybrid Monitor Series, supporting Coax, Fiber & IP connectivity.

17" 21" 24" 32" 47" 55" 65" 84"

- ► IP, Fiber & Coax connectivity
- ▶ Decode ST-2110, ST-2022 and ASPEN* IP streams
- ► Supports Coaxial 3Gb/s BNC I/O connectivity
- Supports Coaxial SFP I/O connectivity
- ▶ IP SFP+ over Fiber decoding "ST-2110 & ST-2022"
- 2 x SFP+ cages supporting 10G/3G/1.5G SDI
- 1 x 3G/1.5G Input port
- 2 x 3G/1.5G output ports
- ► LKFS Audio Loudness logging & measurement
- "PIPM" Plura Software Stack IP Platform OPTIONAL

3Gb/s DR LKFS







PBM-4K Series

New 4K Monitor Series • Screen Sizes 24" 32" 43" 55" 65"


- ▶ 2 x 12G/3G/HD/SD-SDI inputs with active loop
- 1x SFP slot to support multiple IP & Fiber I/O standards
- ST-2110, ST-2022 and ASPEN®
- 1x UHD HDMI 2.0
- Supports up to 4096 x 2160 resolutions
- HDR Display capabilities Supports PQ (ST-2084) & HLG
- HDR & SDR side by side display mode











- ► 10 bit panel color depth
- ► 3D LUT & Accurate color representations
- Stunning picture consistency
- ► Wide color gamut
- ► Slim form factor
- "PIPM" Plura Software Stack IP Platform-OPTION



PBM-4K Series







LCM-4K Series

LCM-4K Series Screen Sizes 49" and 84"

- ▶ 3840 x 2160 4K UHD ▶ 10 bit panel color depth
- ► Supports UHD HDMI 2.0
- ► RGB, YUV, Y/C, Composite, UXGA, DVI & HDMI
- ► Cutting edge De-interlacing & Scaling Technology
- ► Alignment & Calibration
- ► Fast Response Time for high motion video
- ► RGB 12 bit Digital Signal Processing
- ► 178 degree Viewing Angle Display




UNB-4K Series

Ultra-Narrow Bezel LED-backlit, S-IPS, LCD Displays

For Studio & Large Video Wall Applications - Screen Sizes: 49" & 55"

- Anti Glare Coating
- Landscape or portrait orientation
- SDI, HDMI & Display Port inputs capability, up to UHD (3840 x 2160) resolution.
- Ultra Narrow Bezel Minimal bezels width 0.05" (1.2mm) Botom & Right 0.09" (2.3 mm) Top & Left
- Total bezel width 0.14" (3.5 mm) side by side displays.
- Direct LED direct backlight source improves brightness uniformity.
- Broadcast & Professional-Grade quality.





- Wall Express control system via serial IP connectivity designed to easily manage any number of monitors from a remote PC
- ► Stackable Monitor/frame capability
- Built-IN with 24/7 reliable power supply 110/240 AC power Daisychain capability
- Optional IR receiver terminal capability














HEVC 4K Decoder

HEVC 4K Decoder

Plura introduces the new HEVC input option with LCM-4K series. The HEVC is integrated within the LCM-4K Plura monitor. It will decode and/or transcode live or file based HEVC 4K or 1080 encoded media. Full studio surround quality audio is also available.



PUTO NEW PRODUCTS



SFP-324-H

Series Screen Sizes: 17" 21" 24" 32" 47" 55" 65" 84"



SFP-H "HYBRID" IP, Fiber & Coax Monitor Series

Introducing the NEW FUTURE PROOF SFP-H, Hybrid Monitor Series, supporting Coax, Fiber & IP connectivity. The SFP-H is integrated with powerful H/W & S/W platforms to support Coaxial 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity, IP SFP+ over Fiber decoding "ST-2110 & ST-2022" with Third-Party H/W decoder and the NEW PIPM "Plura Software Stack IP Platform" decoder, SFP-H is the ONLY monitor series in the market that can decode ST-2110, ST-2022 and ASPEN IP streams with PIPM "Plura Software Stack IP Platform" based on a powerful computing core and utilizing standard 10G/s SFP+ module.

Scan for Web Page











Series Screen Sizes: 24" 32" 43" 55" 65"



PBM-4K Series

PBM-4K-UHD Series, which supports up to 4096 x 2160 resolutions, focuses on delivering the highly detailed, accurate color representation and stunning picture consistency that high-end production applications require. The PBM-4K series offers HDR Display capabilities supporting PQ (ST-2084) & HGL standards. The series also adopts the exceptionally slim form factor that Plura customers enjoy, ensuring that even the largest 4K monitors in the portfolio demand a modest slice of real estate. The PBM-4K UHD Series supports ST 2082, ST2110, ST2022, ASPEN and other earlier industry standards. 2 x 12G/3G/HD/SD-SDI inputs with active loop, 2 x SFP+ inputs & HDMI 2.0. PIPM "Plura Software Stack IP Platform" based on a powerful computing core and utilizing standard 10G/s SFP+ module is available as an option.

Scan for Web Page









Integrated Ol





PRM-224-3G-O with HDR

New PRM-224-3G-O offers an elegant slim design integrated with a Grade A -10 bit OLED 24.5" panel and delivers outstanding black performance, very fast response time for smooth video with virtually NO motion blur, High contrast of 5000:1, wide viewing angles, accurate color reproduction and quality picture consistency that meets all your HD & SD Monitoring

It also features HDR (High Dynamic Range) capabilities supporting PQ (SMPTE ST 2084) & HLG (Hybrid Log Gamma), LKFS AUDIO Measurement - Digital Loudness Audio Metering with selected channel measurement in LFKS scale, Automatic Calibration & Alignment, Dual Display W/ Dual W/F & VT, Adjustable Colormetry and Gamma Correction.









Scan for Web Page

PUTO NEW PRODUCTS



Screen Sizes: 49" & 55"
Studio & Large Video Wall Applications



UNB-4K Series

Plura UNB-4K-UHD Series, Ultra-Narrow Bezel LED-backlit, S-IPS, LCD display technology for Broadcast & High-END Commercial video wall applications. The ultra narrow bezel panels are virtually seamless, have small pixel pitch just 0.63 mm i.e. images are sharp and clear at any distance. The ultra narrow bezel is only 3.5mm for side by side seamless displays.

Scan for Web Page











PBM-347-Q10 / LCM-147-Q10 - Package

PBM-347 / LCM-147 is a NEW Narrow Bezel monitor with SD, HDMI, DVI inputs connectivities & prominent Plura features set for monitor wall, Fly pack, QC and other broadcast applications.

Package includes:

10 x PBM-347-3G / 10 x LCM-147-3G 1 x Spyder Elite Probe

Scan for Web Page



3Gb/s Spyder



MTD-ID in combination with a TCU



MTD-ID

MTD-ID

MTD-ID is an intelligent 4.3" Multi-Time ID Display that provides the SPT and/or TCU operator with all timing related information within the production environment in one place. The MTD-ID is a unique solution and convenient method to display 7 different timers at your finger tips in a close proximity.

The MTD-ID is an easy add-on tool with Plura TCU (Timer Control Unit) and/or SPT (Studio Production Timer). The MTD-ID screen is divided into 7 different programmable sections, each section can display one of the available Timers (A to F), local real-time, additional time zones and/or Date. The timers color are programmable (Red, Green or Yellow).

Scan for Web Page

www.plurainc.com

Plusa NEW PRODUCTS



SFP-324-H

Series Screen Sizes: 17" 21" 24" 32" 47" 55" 65" 84"



SFP-H "HYBRID" IP, Fiber & Coax Monitor Series

Introducing the NEW FUTURE PROOF SFP-H, Hybrid Monitor Series, supporting Coax, Fiber & IP connectivity. The SFP-H is integrated with powerful H/W & S/W platforms to support Coaxial 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity, IP SFP+ over Fiber decoding "ST-2110 & ST-2022" with Third-Party H/W decoder and the NEW PIPM "Plura Software Stack IP Platform" decoder, SFP-H is the ONLY monitor series in the market that can decode ST-2110, ST-2022 and ASPEN IP streams with PIPM "Plura Software Stack IP Platform" based on a powerful computing core and utilizing standard 10G/s SFP+ module.

Scan for Web Page











Series Screen Sizes: 24" 32" 43" 55" 65"



PBM-4K Series

PBM-4K-UHD Series, which supports up to 4096 x 2160 resolutions, focuses on delivering the highly detailed, accurate color representation and stunning picture consistency that high-end production applications require. The PBM-4K series offers HDR Display capabilities supporting PQ (ST-2084) & HGL standards. The series also adopts the exceptionally slim form factor that Plura customers enjoy, ensuring that even the largest 4K monitors in the portfolio demand a modest slice of real estate. The PBM-4K UHD Series supports ST 2082, ST2110, ST2022, ASPEN and other earlier industry standards. 2 x 12G/3G/HD/SD-SDI inputs with active loop, 2 x SFP+ inputs & HDMI 2.0. PIPM "Plura Software Stack IP Platform" based on a powerful computing core and utilizing standard 10G/s SFP+ module is available as an option.

Scan for Web Page









Integrated Ol





PRM-224-3G-O with HDR

New PRM-224-3G-O offers an elegant slim design integrated with a Grade A -10 bit OLED 24.5" panel and delivers outstanding black performance, very fast response time for smooth video with virtually NO motion blur, High contrast of 5000:1, wide viewing angles, accurate color reproduction and quality picture consistency that meets all your HD & SD Monitoring

It also features HDR (High Dynamic Range) capabilities supporting PQ (SMPTE ST 2084) & HLG (Hybrid Log Gamma), LKFS AUDIO Measurement - Digital Loudness Audio Metering with selected channel measurement in LFKS scale, Automatic Calibration & Alignment, Dual Display W/ Dual W/F & VT, Adjustable Colormetry and Gamma Correction.







Scan for Web Page

PUTO NEW PRODUCTS



Screen Sizes: 49" & 55"
Studio & Large Video Wall Applications



UNB-4K Series

Plura UNB-4K-UHD Series, Ultra-Narrow Bezel LED-backlit, S-IPS, LCD display technology for Broadcast & High-END Commercial video wall applications. The ultra narrow bezel panels are virtually seamless, have small pixel pitch just 0.63 mm i.e. images are sharp and clear at any distance. The ultra narrow bezel is only 3.5mm for side by side seamless displays.

Scan for Web Page











PBM-347-Q10 / LCM-147-Q10 - Package

PBM-347 / LCM-147 is a NEW Narrow Bezel monitor with SD, HDMI, DVI inputs connectivities & prominent Plura features set for monitor wall, Fly pack, QC and other broadcast applications.

Package includes:

10 x PBM-347-3G / 10 x LCM-147-3G 1 x Spyder Elite Probe

Scan for Web Page



3Gb/s Spyder



MTD-ID in combination with a TCU



MTD-ID

MTD-ID

MTD-ID is an intelligent 4.3" Multi-Time ID Display that provides the SPT and/or TCU operator with all timing related information within the production environment in one place. The MTD-ID is a unique solution and convenient method to display 7 different timers at your finger tips in a close proximity.

The MTD-ID is an easy add-on tool with Plura TCU (Timer Control Unit) and/or SPT (Studio Production Timer). The MTD-ID screen is divided into 7 different programmable sections, each section can display one of the available Timers (A to F), local real-time, additional time zones and/or Date. The timers color are programmable (Red, Green or Yellow).

Scan for Web Page

www.plurainc.com



PBM-3G Series

Powerful 3G Broadcast Monitor Series 4x4" 4x5" 7" 9" 10" 17" 21" 24" 32" 40" 46" 47" 55" 65" 70"

- ▶ 3G Ready!
- ► Advanced Dual Display Input Mode
- ▶ Closed Caption capable (708/608) & OP47
- 16 CH Audio Decoding, De-embedding & Level Metering
- ▶ Display Advanced Waveform & Vector simultaneously with Line select

PRM-3G Series

Reference Monitor 10-bit 17" (LED) 24" (OLED)

- ▶ 3G Ready
- ▶ 3D LUT capability
- ► Closed caption (708/608) &OP47
- ▶ Dual Display with Dual Waveform & Vector
- ► HDR Display capabilities Supports PQ (ST-2084) & HGL
- ► LKFS Audio Loudness Metering Package
- ► LKFS Audio Loudness Logging
- ▶ V-Chip Decoding
- ▶ 16 CH Audio Decoding, De-embedding & Level Metering





s 111 :::: PRM-224-3G

Integrated OLED

PRM-217-3G















- · Fiber Dual TX, RX, Transceiver modules
- · Coaxial Dual TX, RX, Transceiver modules
- Hybrid Coaxial & Fiber TX & RX modules
- 3G/HD/SD to HDMI module.



SFP-3G Series

SFP-3G Series

Adaptable & Flexible Broadcast Monitor 17" 21" 24" 32"

- ▶ 3G Ready!
- ► Advanced Dual Display Input Mode
- ▶ Powerful Audio Measurements including LKFS
- ▶ LKFS Audio Loudness Logging
- ► Closed Caption capable (708/608) & OP47
- ► Fiber, Coaxial & HDMI SFP Support
- ▶ Built-in 6x6 Cross Point Swicher
- ► HDMI Preview Output
- ► V-Chip Decoding
- ▶ Display Advanced Waveform & Vector simultaneously with Line select







LCM-3G Series

Powerful General Use 3G Broadcast Monitor 4x4" 4x5" 7" 9" 19" 23" 32" 47" 82"

- ▶ 3G Ready!
- ► Multi-Format Inputs
- ► Dual Display Input Mode
- PaP/PiP, Freeze & Zoom Functions
- ► Ethernet /Serial Dynamic Tally Support



LCM-3G Series

3Gb/s



LCM-119-3G







LCM-123-3G







VF-PBM-307 & 209

7" & 9" LCD - On Camera View Finders

- ► Hi-Res 7" & 9"
- ► Front & Back Talley LED
- ► Integrated Hitachi Viewfinder Solutions
- ► Other OEM Solutions are available upon request



VF-PBM-307 - 209



PBM-307DRK-3G & PBM-209DRK-3G



DISPLAY INPUT MODES: [4x4"] [2x4" + 1x7"] [2x7"] 4 x 3G Inputs & 4 x 3G loop through outputs



PBM-DRK-3G Series

Quadruple - 4" Inputs Dislpay - 3Gb/s-ready

- ► 4 images with 2 waveform/vector display & 16CH audio metering for each input.
- ► 4 x 3G Inputs & 4 x 3G loop through outputs
- ► Closed caption capable (708/608) & OP47

PHB-3G Series

High Brightness 7" & 9" Outdoor Monitor Solutions

- ► Portable 3G Ready!
- ► Dual Display Input Mode
- ► High Brightness over 1500 nit
- ► Closed Caption capable (708/608) & OP47
- ▶ 16 CH Audio Decoding, De-embedding & Level Metering
- ➤ Display Advanced Waveform & Vector simultaneously with Line select



PHB-3G Series







PHB-207DRK-3G

2 x 7" High Brightness Outdoor Monitors



DISPLAY INPUT MODES: [4x4"] [2x4" + 1x7"] [2x7"] 4 x 3G Inputs & 4 x 3G loop through outputs Quadruple - 4" Inputs Display - 3Gb/s-ready




PHB-3G Series

- 4 images with waveform/vector display & 16CH audio metering for each input
- Closed caption capable (708/608) & OP47

PHB-209DRK-3G

2 x 9" High Brightness Outdoor Monitors



DISPLAY INPUT MODES: [4x5"] [2x5" + 1x9"] [2x9"] 4 x 3G Inputs & 4 x 3G loop through outputs Quadruple - 5" Inputs Display - 3Gb/s-ready

Calibration Solutions

Plura Intelligent Connection for Alignment & Calibration- (ICAC)

- ► Complimentary Software Tool
- ► Measurement & Calibration Support
- ▶ PLURA & other 3rd party Compatibility
- ► Integrated Third Party Color Probes Support





Sunvisors

PBM-7SV

Sunvisor for 7'

PBM-209SV

Sunvisor for 9'

PBM-310SV

Sunvisor for 10"



Plura Accessories Manual







PBM-307-3G on Camera

PBM-WMS

Wall Mount for Small Monitors 17", 19", 20", 21", 24"





Wall Mount Kits

PBM-WMS

Wall Mount for Small Monitors 17", 19", 20", 21" & 24"

PBM-WMDA

Dual Arm Wall Mount - Small Monitors 17", 19" & 20"

PBM-WMM

Wall Mount for 32" Monitors

PBM-WML

Wall Mount for Large Monitors Up to 40" to 65"

PBM-WMXL Wall Mount for Large Monitors 70" & Above



Wall Mount Kits Plura Accessories Manual

► PBM-WMDA

Dual Arm Wall Mount for Small Monitors 17", 19", 20" and 21" (Tilts monitor up & down and sideways/extends out from wall up to 10 inches)

Rack Mount Kits

FTM-043RK

Fixed Rack mount for FTM-043-3G

PBM-7RK PBM-7RKB Tilt Rack mount for 7"

Blank Plate for PBM-7RK

PBM-209RK

Fixed Rack mount for PBM-209-3G

PBM-209RKB Blank Plate for PBM-209RK PHB-209RK

PHB-209RKB Blank Plate for PHB-209RK

Fixed Rack mount for PHB-209-3G



Rack Mounts Plura Accessories Manua



PBM-17TRK Tilt Rack mount for PBM-217, PBM-317 & PBM-219

SFP-17TRK

Tilt Rack mount for SFP-217 & LCM-119

MVM-RK

Tilt Rack mount for 20", 21" & 24" monitors

PBM-310RK

Fixed Rack mount for PBM-310-3G

▶ PBM-310RKB Blank Plate for PBM-310RK



PBM-7HH

PBM-209HH

PBM-310HH







Anton Bauer mount



Battery Mount Kits Plura Accessories Manual

Battery Mount Kits

V-Mount for 7", 8.4", 9", 10" & FTM

PBM-AB Anton Bauer Mount for 7", 8.4", 9", 10" & FTM

PBM-VMI V-Mount for 17" & 19"

Anton Bauer Mount for 17" & 19"

Soft Carry Cases





Soft Carry Cases

Soft Carry Case & Hood Handle for 7" Soft Carry Case & Hood Handle for 9"

Soft Carry Case & Hood Handle for 10"

PBM-17HH Soft Carry Case & Hood Handle for 17"

Soft Carry Case & Hood Handle for FTM-043-3G FTM-043HH



Hard Carry Cases PBM-224-CC

Hard Carry Cases

► FTM-043CC Hard Carry Case for FTM-043-3G

▶ PBM-7CC Hard Carry Case for 7"

PBM-209CC Hard Carry Case for 9"

▶ PBM-310CC Hard Carry Case for 10"

► PBM-17CC Hard Carry Case for 17" & 19"

▶ PBM-221CC Hard Carry Case for 21"

► PBM-224CC Hard Carry Case for 24"

► LCM-132CC Hard Carry Case for 32"

► DBM-146CC Hard Carry Case for 40 & 46"



Olura Products Catalog Comprehensive Broadcast Technology Solutions

Contact Information:

Corporate Offices: Plura Broadcast, Inc. 1930 W. Ouail Ave. Phoenix, Arizona 85027

Ph: 602-944-1044 Fax: 602-324-9688 Sales@plurainc.com



Important Links:

To find a Plura Dealer near you:

http://www.plurainc.com/distributors-dealers

Need a Quote or Specific Product Information:

sales@plurainc.com tech@plurainc.com

Download any of our Plura Product Brochures & Information:

http://www.plurainc.com/downloads

Check out our new Plura Corporate Video & Company Timeline Video:

http://www.plurainc.com/videos/facilities

Learn from our Plura FAO monitor tutorials:

http://www.plurainc.com/videos/tutorials

Plura Trade Show Schedules & Upcoming Events:

http://www.plurainc.com/news-press-and-shows/upcoming-shows-a-events

Contact us:

http://www.plurainc.com/contact-plura

